

Table 27: Tall Fescue Control with Certainty

Treatment	Rate	1 August	4 August	11 August	22 August	30 August	7 Sept	12 Sept
		5 DAT-A	8 DAT-A	15 DAT-A	26 DAT-A 5 DAT-B	34 DAT-A 13 DAT-B	42 DAT-A 21 DAT-B	47 DAT-A 26 DAT-B
—————Injury—————							——percent control——	
CERTAINTY + CERTAINTY (21 DAT) NIS	0.035 lb ai/A 0.25 % v/v	3.0 a [†]	3.0 a	2.7 a	4.0 b	6.0 b	98 a	90 a
CERTAINTY + CERTAINTY (21 DAT) NIS	0.047 lb ai/A 0.25 % v/v	3.0 a	3.0 a	3.0 a	5.0 a	7.0 a	95 a	96 b
UNTREATED		1.0 b	1.0 b	1.0 b	1.0 c	1.0 c	0.0 b	0.0 c
LSD (p=0.05)		0.0	0.0	0.8	0.0	0.0	4.0	4.0

† Means followed by same letter do not significantly differ (p=0.05, LSD).

Table 28: Certainty Safety on Kentucky Bluegrass

Treatment	Rate	1 August	4 August	11 August	22 August	28 August	7 Sept
		5 DAT-A	8 DAT-A	15 DAT-A	26 DAT-A 5 DAT-B	32 DAT-A 11 DAT-B	42 DAT-A 21 DAT-B
-----Injury-----							
CERTAINTY + CERTAINTY (21 DAT) NIS	0.035 lb ai/A 0.25 % v/v	3.0 a [†]	2.0 a	1.0	2.0 a	2.0 a	1.0
CERTAINTY + CERTAINTY (21 DAT) NIS	0.047 lb ai/A 0.25 % v/v	3.0 a	2.0 a	1.0	2.0 a	2.7 a	1.0
UNTREATED		1.0 b	1.0 b	1.0	1.0 b	1.0 b	1.0
LSD (p=0.05)		0.0	0.0	NS	0.0	0.8	NS

† Means followed by same letter do not significantly differ (p=0.05, LSD).
 NS indicates not significantly different at the p=0.05 probability level.

Table 29: Certainty Safety on Creeping Bentgrass

Treatment	Rate		1 August	4 August	11 August	22 August	28 August
			5 DAT-A	8 DAT-A	15 DAT-A	26 DAT-A 5 DAT-B	32 DAT-A 11 DAT-B
			Injury				
CERTAINTY NIS	0.0117 0.25	lb ai/A % v/v	3.0 a [†]	2.0 a	1.0	1.3 b	1.0
CERTAINTY + CERTAINTY (21 DAT) NIS	0.0117 0.25	lb ai/A % v/v	2.0 ab	2.3 a	1.0	3.3 a	1.0
CERTAINTY NIS	0.0234 0.25	lb ai/A % v/v	2.3 a	2.0 a	1.0	1.3 b	1.0
UNTREATED			1.0 b	1.0 b	1.0	1.3 b	1.0
LSD (p=0.05)			1.2	0.6	NS	1.3	NS

† Means followed by same letter do not significantly differ (p=0.05, LSD).
NS indicates not significantly different at the p=0.05 probability level.