

What's Next in Apple Training Systems

Philip Schwallier

MSU District Horticulture Agent

Grand Rapids Michigan

Clarksville Research Center







Lucas
Louisa





THOME
ORCHARDS

Quality Fruit since 1846

HAROLD ♦ STEVE ♦ MITCH

A photograph of a large, two-story red barn with a silver metal roof. The barn has a covered porch with white columns. The text "SCHWALLIER'S COUNTRY BASKET" is painted in white on the side of the barn. The building is surrounded by green grass, trees, and a paved area in the foreground.

SCHWALLIER'S
COUNTRY BASKET

SCHWALLIER'S COUNTRY BASKET

Sirus 1835
Steven 1855
John 1883
Henry 1901
Fred 1923
Philip 1952
Tim 1987

SCHWALLIER'S COUNTRY BASKET

Sirus 1835
Steven 1855
John 1883
Henry 1901
Fred 1923
Philip 1952
?????



SCHWALLIER'S COUNTRY BASKET

Sirus 1835

Steven 1855

John 1883

Henry 1901

Fred 1923

Philip 1952



What's Next in Apple Training Systems

Philip Schwallier

MSU District Horticulture Agent

Grand Rapids Michigan

Clarksville Research Center







V-Trellis
2000 Trees/Acre
2 x 10







SuperSpindle B.C. Canada



Tall Spindle

- Current world trend is Tall Spindle
- Tall Spindle characteristics.
 - 30-50 bins/acre.
 - High Density.
 - 800 to 1200 trees/acre.
 - Early yields.
 - Simple system.
 - Intensive training, bending laterals, labor.
 - **Mechanization**, yes, but not perfect.
 - Expensive system








Yields Estimates


Tall Spindle





20 year Profit Estimate


Profit of Systems



Central Leader Vertical Axe Tall Spindle Super Spindle


Planting Year Costs

Total Costs in The Planting Year



Planting Year Costs

Total Costs in The Planting Year



Tall Spindle Characteristics

- Tall Spindle disadvantages.
 - Intensive training, bending laterals, labor.
 - Expensive system
 - Older orchard tops get out of control.
 - Too vigorous.
 - Must grow some tree structure.
 - (Primary and secondary structure).





IFTA

INTERNATIONAL FRUIT TREE ASSOCIATION

Italy Interpoma 2014











evelina
Surprisingly soft



EVELINA.
KISSED
BY NATURE.








650 -820 feet above sea level


Main valley = 200-250 m.a.s.l.




Multi Leader Characteristics

- Control tree vigor.
- Uniform fruit quality.
- Better fit for mechanization.
- Simplifies management.
- Natural fit for Fruiting Walls.

Centrifugal vs Centripetal




(a)



(b)


Tree Architecture

- Primary Fruiting Canopy
- Centrifugal
(Long pruning)
(Outward).




Structure

- Secondary structure wood
- Supports fruiting wood.
- Unproductive canopy
- Few, small, green fruit.
- Basically non-bearing wood.



- It is a **simple** training system, easy for employees to learn.
- It fits the **natural growing** characteristics of a high density apple tree.



Fruiting Wall Characteristics


- CENTRIPETAL, (Fruiting near leader).
- Fruit on the outside of canopy.
- No inside fruit, No green fruit.
- Easy hand pruning.
- Hand thinning, (Precision thinning).
- No limb bending.
- Mechanization, pruning, training, harvest, etc.
- Less costly?
- High quality fruit.
- Uniform fruit.
- Better spray coverage.

Mur Fruitier (Fruiting Wall)
2000 Trees/Acre
2 x 10




Structure

- **Primary Structure Wood (Leader).**
- Supports tree.
- Required minimal amount of wood.



Fruiting Wall Structure

- Primary fruiting canopy close in to primary wood (leader).
- Centripetal (Short pruning).
- No secondary structure.



Bi-Axe

1200 Trees/Acre


3 x 12



**Narrow
trees
capture
more
sunlight.**







The
Lorette
System
of PRUNING

Louis Lorette

Rodale Press

Emmaus, Penna.




FIG. 26. A full-grown double U near tree. "Bonne d'Ezée"

nal, will be pre-
ned back to the
oot, in order to
ew symmetrical
their appointed
g is obtained by
he vase is thus
ertically all the
along rods 16
years a vase can
as many as 500

ny well-rooted
in position for
ack to 2 feet
d out in April,
ive best-placed
, will be fixed
ise and sloping
ed for the time
e of the winter
s replaced by a
owing: (1) An
or a stake





Fig. 33. A full-grown, vase-trained apple tree.

**P
E
D
E
S
T
R
I
A
N**



3.5

Height (m)

2

1

1:1

2.25

Not Summer Pruned Previous Year

CENTRIFUGAL: 20 to 48"

8" 16" 24" 32" 40" 48"



Structural Wood

Fruiting Wood

Aberto Dorigoni, Italy

CENTRIPETAL: 6 to 24"

4"

8"

12"

16"

20"

24"



Flower buds

**Summer
Pruned
Previous
Year JUNE**

Aberto Dorigoni, Italy


4 Leader



8 Leader



8 Leader



Why Multi-Leader?

Characteristics

- CENTRIPETAL.
- Natural Fruiting Wall system.
- Uniform ripening.
- Less biennial bearing.
- No bending branches.
- Less cost.
- Lower number of trees/acre.
- Produce uniform fruit quality.
- Uniform branches.
- Even vigor from top to bottom.
- Good uniform color from top to bottom.
- No inside fruit.

Multi-Leader System

Characteristics

- Reduce tops vigor.
- Simple cultural practices.
- Better spray coverage.
- Use highly efficient vigorous rootstocks.
- Perhaps shorter trees.
- Less biennial bearing.
- Reduced pruning.
- No secondary structure.
- Very narrow trees.
- More leaders, more dwarfing.
- Can be mechanized.



Long term effect of long pruning of spindle in fertile soils



Fruiting Walls are very narrow.

Better light.

Narrow trees = closer row
spacing.





Structure Wood



INNOVATIVE ERZIEHUNGSSYSTEM
THE ULTIMATE TRAINING SYSTEM
LA FORMA DI ALLEVAMENTO
PIÙ EVOLUTA

Innovative





1st leaf



2nd leaf



3th leaf



5th leaf



6th leaf













4 Leader



6 Leader




8 Leader



Released Geneva® Apple Rootstocks

Arranged by Tree Size



How to Control Vigor


- Scion/rootstock.
- Summer pruning.
- Root pruning.
- PGR's
- Union planting height.
- Increase leader numbers.



Goodfruit Grower




Bins/acre Yield of ML Trees



6 Year Old Yield of ML Trees

Multi Leader Trees, Yield Bins/Acre





Window pruning machine:

an idea of the Fondazione E. Mach

(covered by PCT Patent Cooperation Treaty in 140 countries worldwide) N. VI2012A000010 del 13.01.2013 as "Apparato di cimatura per filari" a nome della FONDAZIONE EDMUND MACH)

become reality thanks to Fa-Ma

Cutting units of 36 cm each





Fig.7







3rd Leaf



5th leaf



Golden Delicious - 14th leaf (Spain) Bi-axis at 1.5 m



Multi Leader Disadvantage

- Slower to establish, lower early yields.
- Difficult to buy good biaxis tree.
- Unbalanced vigor.
- Dwarfing effect.

Multi Leader Advantage

- Natural Fruiting Wall.
- Less expensive and intensive, very little bending and tying.
- Greater yields
- Higher quality.
- Lower tree density, less expensive.
- Mechanization, pruning, harvesting thinning
- When full bearing, better than spindle.
- Simplifies orchard management
- Most HD training works on Multi Leader.

What's Next

- Higher Densities
- Fruit Walls, Super Spindle
- Hedging
- Mechanization
- Platforms, Harvest Machines, etc

SuperSpindle B.C. Canada



2nd leaf











58th Annual Conference & Orchard Tours 2015



Halifax, Nova Scotia, Canada
February 21-25, 2015

IFTA



INTERNATIONAL FRUIT TREE ASSOCIATION

58th Annual Conference & Orchard Tours 2015



Pre-Conference Intensive Workshop on Honeycrisp

- Rootstocks
- Planting Densities
- Balancing Growth and Productivity
- Maintaining Annual Bearing
- Thinning Program
- Harvest Management
- Storage Protocols



58th Annual Conference & Orchard Tours 2015



Orchard Tour with Focus on Honeycrisp

- High Density Plantings
- Bud Density Management for Optimal Crop Load
- Training Systems, including Slender Spindle and Vertical Axe
- Orchard Mechanization



58th Annual Conference & Orchard Tours 2015



Halifax, Nova Scotia, Canada



Come and experience the best in Maritime hospitality. See you in February!

58th Annual Conference & Orchard Tours 2015



Halifax, Nova Scotia, Canada
February 21-25, 2015

IFTA



INTERNATIONAL FRUIT TREE ASSOCIATION