

grapes.msu.edu

[Home](#)

[About Us](#)

[Search](#)

[Newsletters](#)

[Weather /
Climate](#)

[Viticulture](#)

[Pest
management](#)

[Scouting guide](#)

[Publications](#)

[Calendar of
events](#)

[Industry links](#)

[Contacts](#)

Download [Adobe Acrobat
Reader](#) to view pdf files.

Parasitic wasps

Rufus Isaacs, MSU Entomology

[Home](#) > [Scouting guide](#)> parasitic wasp

Most parasitic wasps are tiny and they often develop inside their hosts, so detecting them can be difficult. Some recognizable signs of parasitism include unusual host (pest) behavior, host body darkening, and the presence of emergence holes or cocoons.

Additional information

- About [natural enemies](#) (from *Fruit Crop Ecology and Management*)
- About [parasitic wasp](#) (From *Identifying natural enemies*)

[Site map](#)

[Copyright/Linking](#)

Funding for this web site provided by [Project GREEN](#), [American Farmland Trust](#), [EPA Region 5's Strategic Agricultural Initiative program](#), [The National Foundation for IPM Education](#), the [Center for Agricultural Partnerships](#) and the [MSU Integrated Pest Management Program](#) in collaboration with [MSU Extension](#) and the [Michigan Agricultural Experiment Station](#). Partially support from [NC-IPM Center](#).

05/26/11 Contact: [E. Haney](#)