

Roughstalk bluegrass control with fall and spring herbicide applications in winter wheat

Trial ID: WT01-20
 Conducted: PP behind woodlot

Study Dir.: Sprague, Stiles, Powell
 Investigator: Christy Sprague

Planting Date: Sep-26-2019
Variety: 'Starburst' soft red wheat
Population: 1800000 seeds/A
Soil Type: SCL sandy clay loam
Plot Size: 10 X 30 FT

Row Spacing: 7.5 IN
No. of Reps: 4
% OM: 3.8
pH: 5.6
Study Design: Randomized Complete Block (RCB)

Tillage/Previous Crops: Fall chisel plow, fall soil finished (2X)

Fertilizer:

Crop and Weed Description

Weed	Code	Common Name	Scientific Name
1	POATR	Rough-stalk bluegrass	Poa trivialis
2	STEME	Common chickweed	Stellaria media
3	LAMPU	Purple deadnettle	Lamium purpureum
4	CAPBP	Shepherd's purse	Capsella bursa-pastoris

Crop	Code	Common Name
1	TRZAW	Winter wheat

Application Description

	A	B	C
Application Timing:	FALL	EPOS	POST
Date Treated:	Oct-17-2019	Apr-18-2020	May-5-2020
Time Treated:	3:00 PM	1:00 PM	1:00 PM
% Cloud Cover:	100	40	100
Air Temp., Unit:	51 F	51 F	46 F
% Relative Humidity:	56	41	37
Wind Speed/Unit/Dir:	8 mph NW	8 mph SW	8 mph NE
Soil Temp, Unit:	49 F	46 F	46 F
Leaf Moist/Dew Presence (Y/N):	5	5	5
Soil Moist:	4	3	3

Crop Stage at Each Application

	A	B	C
Crop 1 Name:	TRZAW	TRZAW	TRZAW
Height:	4 "	6.5 "	12.5 "
Stage:	Feekes 2	Feekes 4	Feekes 5

Weed Stage at Each Application

	A	B	C
Weed 1 Name:	POATR	POATR	POATR
Height:	0.5-2 " (1.25)	2-4 " (3)	12-15 " (10)
Stage:	2-6L	4L	Flower
Weed 2 Name:	STEME	STEME	STEME
Height:	0.5-1 " (0.75)	0.5 "	0.5 "
Stage:	2L	Flower	Flower
Weed 3 Name:	LAMPU	LAMPU	LAMPU
Height:		8-9 "d (8.5)	
Stage:		Flower	
Weed 4 Name:	CAPBP	CAPBP	CAPBP
Height:		10 "	
Stage:		Flower	

Application Equipment

Appl	Sprayer Type	Ground Speed	Nozzle Type	Nozzle Size	Nozzle Height	Nozzle Spacing	Boom Width	Spray Volume	Carrier	Operation Pressure
A	CUB	3.8 mph	AIXR	11003	24 "	20 "	100 "	19 GPA	WATER	30 psi
B	CUB	3.8 mph	AIXR	11003	22 "	20 "	100 "	19 GPA	WATER	30 psi
C	CUB	3.8 mph	AIXR	11003	32 "	20 "	100 "	19 GPA	WATER	30 psi

Comments:

Roughstalk bluegrass control with fall and spring herbicide applications in winter wheat

Trial ID: WT01-20

Location: PP behind woodlot

Trial Year: 2019

Protocol ID: WT01-20

Investigator: Christy Sprague

Project ID:

Study Director: Sprague, Stiles, Powell

Sponsor Contact:

Pest Code	POATR	STEME	POATR	STEME	LAMPU
Crop Type, Code	C TRZAW	Apr-25-2020	Apr-25-2020	C TRZAW	May-2-2020
Rating Date	injury	control	control	injury	control
Rating Type	percent	percent	percent	percent	percent
Rating Unit	7 DA-B	7 DA-B	7 DA-B	14 DA-B	14 DA-B
Trt-Eval Interval	0	0	0	0	0
Number of Decimals	0	0	0	0	0

Trt No.	Treatment Name	Form Conc	Form Type	Rate	Rate Unit	Appl Timing	Appl Code						
1	Osprey	4.5	WG	4.75 oz/a	FALL	A	0	91	85	0	82	80	100
	Surfactant	L		0.5 % v/v	FALL	A							
	AMS	WG		3 lb/a	FALL	A							
	Huskie	2.06	L	13.5 fl oz/a	EPOS	B							
	Surfactant	L		0.5 % v/v	EPOS	B							
	AMS	WG		3 lb/a	EPOS	B							
2	Powerflex HL	13	WG	2 oz/a	FALL	A	0	74	99	0	64	100	100
	Surfactant	L		0.5 % v/v	FALL	A							
	AMS	WG		3 lb/a	FALL	A							
	Huskie	2.06	L	13.5 fl oz/a	EPOS	B							
	Surfactant	L		0.5 % v/v	EPOS	B							
	AMS	WG		3 lb/a	EPOS	B							
3	Axial XL	0.42	L	16.4 fl oz/a	FALL	A	0	88	0	1	76	49	100
	Huskie	2.06	L	13.5 fl oz/a	EPOS	B							
	Surfactant	L		0.5 % v/v	EPOS	B							
	AMS	WG		3 lb/a	EPOS	B							
4	Axial Bold	0.685	L	15 fl oz/a	FALL	A	0	93	0	3	80	48	100
	Huskie	2.06	L	13.5 fl oz/a	EPOS	B							
	Surfactant	L		0.5 % v/v	EPOS	B							
	AMS	WG		3 lb/a	EPOS	B							
5	Untreated						0			0	0	0	0
6	Osprey	4.5	WG	4.75 oz/a	EPOS	B	7			15	69	66	94
	Huskie	2.06	L	13.5 fl oz/a	EPOS	B							
	Surfactant	L		0.5 % v/v	EPOS	B							
	AMS	WG		3 lb/a	EPOS	B							
7	Powerflex HL	13	WG	2 oz/a	EPOS	B	9			14	71	75	100
	Huskie	2.06	L	13.5 fl oz/a	EPOS	B							
	Surfactant	L		0.5 % v/v	EPOS	B							
	AMS	WG		3 lb/a	EPOS	B							
8	Axial Bold	0.685	L	15 fl oz/a	EPOS	B	8			14	73	63	100
	Huskie	2.06	L	13.5 fl oz/a	EPOS	B							
9	Osprey Xtra	6	WG	4.75 oz/a	EPOS	B	6			12	76	76	93
	Huskie	2.06	L	13.5 fl oz/a	EPOS	B							
	Surfactant	L		0.5 % v/v	EPOS	B							
	AMS	WG		3 lb/a	EPOS	B							
10	Huskie	2.06	L	13.5 fl oz/a	EPOS	B	4			1	0	63	95
	Surfactant	L		0.5 % v/v	EPOS	B							
	AMS	WG		3 lb/a	EPOS	B							
11	Osprey	4.5	WG	4.75 oz/a	EPOS	B	8			11	74	69	96
	Talinor	2.67	L	16 fl oz/a	EPOS	B							
	CoAct+	L		3.2 fl oz/a	EPOS	B							
	Surfactant	L		0.5 % v/v	EPOS	B							
12	Axial Bold	0.685	L	15 fl oz/a	EPOS	B	6			12	79	70	100
	Talinor	2.67	L	16 fl oz/a	EPOS	B							
	CoAct+	L		3.2 fl oz/a	EPOS	B							
13	Osprey	4.5	WG	4.75 oz/a	EPOS	B	9			6	66	33	100
	Surfactant	L		0.5 % v/v	EPOS	B							
	AMS	WG		3 lb/a	EPOS	B							
14	Powerflex HL	13	WG	2 oz/a	EPOS	B	8			6	59	65	100
	Surfactant	L		0.5 % v/v	EPOS	B							
	AMS	WG		3 lb/a	EPOS	B							
15	Axial Bold	0.685	L	15 fl oz/a	EPOS	B	9			5	74	0	0

Roughstalk bluegrass control with fall and spring herbicide applications in winter wheat

Trial ID: WT01-20

Location: PP behind woodlot

Trial Year: 2019

Protocol ID: WT01-20

Investigator: Christy Sprague

Project ID:

Study Director: Sprague, Stiles, Powell

Sponsor Contact:

Pest Code	POATR	STEME	POATR	STEME	LAMPU
Crop Type, Code	C TRZAW		C TRZAW		
Rating Date	Apr-25-2020	Apr-25-2020	May-2-2020	May-2-2020	May-2-2020
Rating Type	injury	control	injury	control	control
Rating Unit	percent	percent	percent	percent	percent
Trt-Eval Interval	7 DA-B	7 DA-B	14 DA-B	14 DA-B	14 DA-B
Number of Decimals	0	0	0	0	0

Trt No.	Treatment Name	Form Conc	Form Type	Rate	Rate Unit	Appl Timing	Appl Code							
16	Osprey Xtra	6	WG	4.75 oz/a		EPOS	B	8		13	79	79	100	
	Surfactant		L	0.5 % v/v		EPOS	B							
	AMS		WG	3 lb/a		EPOS	B							
17	Huskie	2.06	L	13.5 fl oz/a		EPOS	B		0	0	66		100	
	Surfactant		L	0.5 % v/v		EPOS	B							
	AMS		WG	3 lb/a		EPOS	B							
	Osprey	4.5	WG	4.75 oz/a		POST	C							
	Surfactant		L	0.5 % v/v		POST	C							
	AMS		WG	3 lb/a		POST	C							
18	Huskie	2.06	L	13.5 fl oz/a		EPOS	B		0	0	63		100	
	Surfactant		L	0.5 % v/v		EPOS	B							
	AMS		WG	3 lb/a		EPOS	B							
	Powerflex HL	13	WG	2 oz/a		POST	C							
	Surfactant		L	0.5 % v/v		POST	C							
	AMS		WG	3 lb/a		POST	C							
19	Huskie	2.06	L	13.5 fl oz/a		EPOS	B		0	0	61		100	
	Surfactant		L	0.5 % v/v		EPOS	B							
	AMS		WG	3 lb/a		EPOS	B							
	Axial Bold	0.685	L	15 fl oz/a		POST	C							
20	Huskie	2.06	L	13.5 fl oz/a		EPOS	B		0	0	58		100	
	Surfactant		L	0.5 % v/v		EPOS	B							
	AMS		WG	3 lb/a		EPOS	B							
	Osprey Xtra	6	WG	4.75 oz/a		POST	C							
	Surfactant		L	0.5 % v/v		POST	C							
	AMS		WG	3 lb/a		POST	C							
LSD P=.05								3.1	5.3	3.5	4.6	6.8	10.4	5.2
Standard Deviation								2.2	3.3	2.2	3.2	4.8	7.3	3.7
CV								44.57	3.86	4.72	58.02	9.37	12.44	4.11

Roughstalk bluegrass control with fall and spring herbicide applications in winter wheat

Trial ID: WT01-20

Location: PP behind woodlot

Trial Year: 2019

Protocol ID: WT01-20

Investigator: Christy Sprague

Project ID:

Study Director: Sprague, Stiles, Powell

Sponsor Contact:

Pest Code	CAPBU	POATR	STEME	LAMPU	CAPBU
Crop Type, Code	C TRZAW				
Rating Date	May-2-2020	May-23-2020	May-23-2020	May-23-2020	May-23-2020
Rating Type	control	injury	control	control	control
Rating Unit	percent	percent	percent	percent	percent
Trt-Eval Interval	14 DA-B	18 DA-C	18 DA-C	18 DA-C	18 DA-C
Number of Decimals	0	0	0	0	0

Trt No.	Treatment Name	Form Conc	Form Type	Rate	Rate Unit	Appl Timing	Appl Code					
1	Osprey	4.5	WG	4.75 oz/a	FALL	A		100	0	84	100	100
	Surfactant	L		0.5 % v/v	FALL	A						
	AMS	WG		3 lb/a	FALL	A						
	Huskie	2.06	L	13.5 fl oz/a	EPOS	B						
	Surfactant	L		0.5 % v/v	EPOS	B						
	AMS	WG		3 lb/a	EPOS	B						
2	Powerflex HL	13	WG	2 oz/a	FALL	A		100	0	59	100	100
	Surfactant	L		0.5 % v/v	FALL	A						
	AMS	WG		3 lb/a	FALL	A						
	Huskie	2.06	L	13.5 fl oz/a	EPOS	B						
	Surfactant	L		0.5 % v/v	EPOS	B						
	AMS	WG		3 lb/a	EPOS	B						
3	Axial XL	0.42	L	16.4 fl oz/a	FALL	A		100	0	67	91	96
	Huskie	2.06	L	13.5 fl oz/a	EPOS	B						
	Surfactant	L		0.5 % v/v	EPOS	B						
	AMS	WG		3 lb/a	EPOS	B						
4	Axial Bold	0.685	L	15 fl oz/a	FALL	A		100	0	72	98	100
	Huskie	2.06	L	13.5 fl oz/a	EPOS	B						
	Surfactant	L		0.5 % v/v	EPOS	B						
	AMS	WG		3 lb/a	EPOS	B						
5	Untreated							0	0	0	0	0
6	Osprey	4.5	WG	4.75 oz/a	EPOS	B		100	6	91	91	100
	Huskie	2.06	L	13.5 fl oz/a	EPOS	B						
	Surfactant	L		0.5 % v/v	EPOS	B						
	AMS	WG		3 lb/a	EPOS	B						
7	Powerflex HL	13	WG	2 oz/a	EPOS	B		100	5	74	100	100
	Huskie	2.06	L	13.5 fl oz/a	EPOS	B						
	Surfactant	L		0.5 % v/v	EPOS	B						
	AMS	WG		3 lb/a	EPOS	B						
8	Axial Bold	0.685	L	15 fl oz/a	EPOS	B		100	6	94	98	96
	Huskie	2.06	L	13.5 fl oz/a	EPOS	B						
9	Osprey Xtra	6	WG	4.75 oz/a	EPOS	B		100	5	96	99	98
	Huskie	2.06	L	13.5 fl oz/a	EPOS	B						
	Surfactant	L		0.5 % v/v	EPOS	B						
	AMS	WG		3 lb/a	EPOS	B						
10	Huskie	2.06	L	13.5 fl oz/a	EPOS	B		100	0	0	100	100
	Surfactant	L		0.5 % v/v	EPOS	B						
	AMS	WG		3 lb/a	EPOS	B						
11	Osprey	4.5	WG	4.75 oz/a	EPOS	B		100	2	95	96	94
	Talinor	2.67	L	16 fl oz/a	EPOS	B						
	CoAct+	L		3.2 fl oz/a	EPOS	B						
	Surfactant	L		0.5 % v/v	EPOS	B						
12	Axial Bold	0.685	L	15 fl oz/a	EPOS	B		100	3	96	100	98
	Talinor	2.67	L	16 fl oz/a	EPOS	B						
	CoAct+	L		3.2 fl oz/a	EPOS	B						
13	Osprey	4.5	WG	4.75 oz/a	EPOS	B		100	9	90	68	96
	Surfactant	L		0.5 % v/v	EPOS	B						
	AMS	WG		3 lb/a	EPOS	B						
14	Powerflex HL	13	WG	2 oz/a	EPOS	B		100	5	65	100	99
	Surfactant	L		0.5 % v/v	EPOS	B						
	AMS	WG		3 lb/a	EPOS	B						
15	Axial Bold	0.685	L	15 fl oz/a	EPOS	B		0	3	98	72	80

Roughstalk bluegrass control with fall and spring herbicide applications in winter wheat

Trial ID: WT01-20

Location: PP behind woodlot

Trial Year: 2019

Protocol ID: WT01-20

Investigator: Christy Sprague

Project ID:

Study Director: Sprague, Stiles, Powell

Sponsor Contact:

Pest Code	CAPBU	POATR	STEME	LAMPU	CAPBU
Crop Type, Code	C TRZAW				
Rating Date	May-2-2020	May-23-2020	May-23-2020	May-23-2020	May-23-2020
Rating Type	control	injury	control	control	control
Rating Unit	percent	percent	percent	percent	percent
Trt-Eval Interval	14 DA-B	18 DA-C	18 DA-C	18 DA-C	18 DA-C
Number of Decimals	0	0	0	0	0

Trt No.	Treatment Name	Form Conc	Form Type	Rate	Rate Unit	Appl Timing	Appl Code						
16	Osprey Xtra	6	WG	4.75 oz/a	EPOS B			100	3	97	100	99	100
	Surfactant	L		0.5 % v/v	EPOS B								
	AMS	WG		3 lb/a	EPOS B								
17	Huskie	2.06	L	13.5 fl oz/a	EPOS B			100	1	67	100	100	100
	Surfactant	L		0.5 % v/v	EPOS B								
	AMS	WG		3 lb/a	EPOS B								
	Osprey	4.5	WG	4.75 oz/a	POST C								
	Surfactant	L		0.5 % v/v	POST C								
	AMS	WG		3 lb/a	POST C								
18	Huskie	2.06	L	13.5 fl oz/a	EPOS B			100	1	66	99	100	100
	Surfactant	L		0.5 % v/v	EPOS B								
	AMS	WG		3 lb/a	EPOS B								
	Powerflex HL	13	WG	2 oz/a	POST C								
	Surfactant	L		0.5 % v/v	POST C								
	AMS	WG		3 lb/a	POST C								
19	Huskie	2.06	L	13.5 fl oz/a	EPOS B			100	1	68	99	99	100
	Surfactant	L		0.5 % v/v	EPOS B								
	AMS	WG		3 lb/a	EPOS B								
	Axial Bold	0.685	L	15 fl oz/a	POST C								
20	Huskie	2.06	L	13.5 fl oz/a	EPOS B			98	1	71	99	100	100
	Surfactant	L		0.5 % v/v	EPOS B								
	AMS	WG		3 lb/a	EPOS B								
	Osprey Xtra	6	WG	4.75 oz/a	POST C								
	Surfactant	L		0.5 % v/v	POST C								
	AMS	WG		3 lb/a	POST C								
LSD P=.05								1.6	4.8	8.5	9.5	10.4	2.6
Standard Deviation								1.1	3.4	6.0	6.7	7.3	1.8
CV								1.24	134.55	8.34	7.41	7.9	1.97

Roughstalk bluegrass control with fall and spring herbicide applications in winter wheat

Trial ID: WT01-20

Location: PP behind woodlot

Trial Year: 2019

Protocol ID: WT01-20

Investigator: Christy Sprague

Project ID:

Study Director: Sprague, Stiles, Powell

Sponsor Contact:

Pest Code	POATR
Crop Type, Code	C TRZAW C TRZAW
Rating Date	Jul-1-2020 Jul-13-2020 Jul-13-2020
Rating Type	control moisture yield
Rating Unit	percent percent bu/acre
Trt-Eval Interval	57 DA-C 69 DA-C @13% M
Number of Decimals	0 1 1

Trt No.	Treatment Name	Form Conc	Form Type	Rate Rate Unit	Appl Timing	Appl Code			
1	Osprey	4.5	WG	4.75 oz/a	FALL	A	79	20.4	65.4
	Surfactant	L		0.5 % v/v	FALL	A			
	AMS	WG		3 lb/a	FALL	A			
	Huskie	2.06	L	13.5 fl oz/a	EPOS	B			
	Surfactant	L		0.5 % v/v	EPOS	B			
	AMS	WG		3 lb/a	EPOS	B			
2	Powerflex HL	13	WG	2 oz/a	FALL	A	49	15.5	66.3
	Surfactant	L		0.5 % v/v	FALL	A			
	AMS	WG		3 lb/a	FALL	A			
	Huskie	2.06	L	13.5 fl oz/a	EPOS	B			
	Surfactant	L		0.5 % v/v	EPOS	B			
	AMS	WG		3 lb/a	EPOS	B			
3	Axial XL	0.42	L	16.4 fl oz/a	FALL	A	61	15.9	62.8
	Huskie	2.06	L	13.5 fl oz/a	EPOS	B			
	Surfactant	L		0.5 % v/v	EPOS	B			
	AMS	WG		3 lb/a	EPOS	B			
4	Axial Bold	0.685	L	15 fl oz/a	FALL	A	69	15.9	59.5
	Huskie	2.06	L	13.5 fl oz/a	EPOS	B			
	Surfactant	L		0.5 % v/v	EPOS	B			
	AMS	WG		3 lb/a	EPOS	B			
5	Untreated						0	16.1	37.9
6	Osprey	4.5	WG	4.75 oz/a	EPOS	B	100	15.8	55.3
	Huskie	2.06	L	13.5 fl oz/a	EPOS	B			
	Surfactant	L		0.5 % v/v	EPOS	B			
	AMS	WG		3 lb/a	EPOS	B			
7	Powerflex HL	13	WG	2 oz/a	EPOS	B	71	15.8	57.3
	Huskie	2.06	L	13.5 fl oz/a	EPOS	B			
	Surfactant	L		0.5 % v/v	EPOS	B			
	AMS	WG		3 lb/a	EPOS	B			
8	Axial Bold	0.685	L	15 fl oz/a	EPOS	B	100	16.2	60.8
	Huskie	2.06	L	13.5 fl oz/a	EPOS	B			
9	Osprey Xtra	6	WG	4.75 oz/a	EPOS	B	100	15.9	52.2
	Huskie	2.06	L	13.5 fl oz/a	EPOS	B			
	Surfactant	L		0.5 % v/v	EPOS	B			
	AMS	WG		3 lb/a	EPOS	B			
10	Huskie	2.06	L	13.5 fl oz/a	EPOS	B	0	16.6	44.6
	Surfactant	L		0.5 % v/v	EPOS	B			
	AMS	WG		3 lb/a	EPOS	B			
11	Osprey	4.5	WG	4.75 oz/a	EPOS	B	100	15.9	56.4
	Talinor	2.67	L	16 fl oz/a	EPOS	B			
	CoAct+	L		3.2 fl oz/a	EPOS	B			
	Surfactant	L		0.5 % v/v	EPOS	B			
12	Axial Bold	0.685	L	15 fl oz/a	EPOS	B	100	15.4	59.5
	Talinor	2.67	L	16 fl oz/a	EPOS	B			
	CoAct+	L		3.2 fl oz/a	EPOS	B			
13	Osprey	4.5	WG	4.75 oz/a	EPOS	B	100	17.2	52.4
	Surfactant	L		0.5 % v/v	EPOS	B			
	AMS	WG		3 lb/a	EPOS	B			
14	Powerflex HL	13	WG	2 oz/a	EPOS	B	64	15.7	54.8
	Surfactant	L		0.5 % v/v	EPOS	B			
	AMS	WG		3 lb/a	EPOS	B			
15	Axial Bold	0.685	L	15 fl oz/a	EPOS	B	98	15.7	56.9

Roughstalk bluegrass control with fall and spring herbicide applications in winter wheat

Trial ID: WT01-20 Location: PP behind woodlot Trial Year: 2019

Protocol ID: WT01-20 Investigator: Christy Sprague

Project ID: Study Director: Sprague, Stiles, Powell

Sponsor Contact:

Pest Code	POATR
Crop Type, Code	C TRZAW C TRZAW
Rating Date	Jul-1-2020 Jul-13-2020 Jul-13-2020
Rating Type	control moisture yield
Rating Unit	percent percent bu/acre
Trt-Eval Interval	57 DA-C 69 DA-C @13% M
Number of Decimals	0 1 1

Trt No.	Treatment Name	Form Conc	Form Type	Rate Rate Unit	Appl Timing	Appl Code			
16	Osprey Xtra	6	WG	4.75 oz/a	EPOS	B	100	15.5	62.3
	Surfactant	L		0.5 % v/v	EPOS	B			
	AMS	WG		3 lb/a	EPOS	B			
17	Huskie	2.06	L	13.5 fl oz/a	EPOS	B	99	15.4	53.0
	Surfactant	L		0.5 % v/v	EPOS	B			
	AMS	WG		3 lb/a	EPOS	B			
	Osprey	4.5	WG	4.75 oz/a	POST	C			
	Surfactant	L		0.5 % v/v	POST	C			
	AMS	WG		3 lb/a	POST	C			
18	Huskie	2.06	L	13.5 fl oz/a	EPOS	B	49	15.6	53.4
	Surfactant	L		0.5 % v/v	EPOS	B			
	AMS	WG		3 lb/a	EPOS	B			
	Powerflex HL	13	WG	2 oz/a	POST	C			
	Surfactant	L		0.5 % v/v	POST	C			
	AMS	WG		3 lb/a	POST	C			
19	Huskie	2.06	L	13.5 fl oz/a	EPOS	B	100	15.6	53.7
	Surfactant	L		0.5 % v/v	EPOS	B			
	AMS	WG		3 lb/a	EPOS	B			
	Axial Bold	0.685	L	15 fl oz/a	POST	C			
20	Huskie	2.06	L	13.5 fl oz/a	EPOS	B	100	15.3	51.8
	Surfactant	L		0.5 % v/v	EPOS	B			
	AMS	WG		3 lb/a	EPOS	B			
	Osprey Xtra	6	WG	4.75 oz/a	POST	C			
	Surfactant	L		0.5 % v/v	POST	C			
	AMS	WG		3 lb/a	POST	C			
	LSD P=.05						8.7	1.87	8.84
	Standard Deviation						6.2	1.32	6.21
	CV						8.02	8.23	11.22